


Corkscrews



WHISPERWAVE clouds are usually shipped with four short stainless steel corkscrews for hanger wire suspension.



Horizontal Suspended S-Shaped Cloud Applications



To find the approximate distances away from the sides to install the corkscrew hangers, multiply the width and length by 0.20.




Four points are usually all that is necessary to suspend ceiling clouds in place. Keep corkscrews, hanger wires and anchors overtop in exact alignment, true and plumb.



4' x 8' S-Shaped Clouds

Set the corkscrew hangers 9-1/2" away from the sides and 19-1/4" in the front and back of the cloud.



2' x 4' S-Shaped Clouds

Set the corkscrew hangers 4-3/4" away from the sides and 9-1/2" in the front and back of the cloud.

Corkscrews with Light-gauge Hanger Wire Suspension Applications



For custom convex WHISPERWAVE clouds multiply the width and length by 0.20 to determine approximate distances to set corkscrew hangers away from the sides, front and back.

Miscellaneous Suspension Accessories

T-slot, Main Runner Suspended
Front-to-Back Cloud Pairs




Custom flat WHISPERWAVE clouds.

T-slot, Main Runner Suspended
Side-by-Side Cloud Pairs



Custom s-shape WHISPERWAVE clouds.

T-slot, Main Runner Detail Setup




Suspension options with WHISPERWAVE clouds.

T-slot, Main Runner Suspension




WHISPERWAVE clouds can be custom produced with factory-cut T-slots for ganged suspension applications using standard 15/16" main runners. Slide the main runners through the T-slots into position as required.

15/16" Main Runners




Cut the main runners back to suit cloud. Taper the ends and back-cut the bottom flange corners to help slide through t-slots easily.

T-slot, Main Runner Suspension



Cut the main runners back approximately 3" to 4" from the sides and inset hanger wires plumb to cantilever and balance the cloud correctly. Keep wires as invisible from view as possible.

T-slot, Main Runner Suspension



The t-slot, main runner installation method allows carpenters to quickly join s-shape WHISPERWAVE clouds side by side on the bench before being suspended together for faster installation times.